







### **APPLICATIONS:**

Indoor

Outdoor

Wood

Natural Gas

LP (Liquid Propane)

**Custom Finish** 

Multi-Sided Availability

DM 54 Chimney

**Eco-Steel Chimney** 

Fire-Lite Application

# Fan the flames of innovation and take your fireplace to new heights with Isokern's **Magnum Series**.


The Magnum Series Fireplace offers wood or gas burning solutions with the largest openings available in the market, models include 36, 42, 48, 60 & 72. Utilizing Isokern's proprietary straight-back interior design coupled with an innovative contoured shelf, the modular Magnum Series provides unequaled efficiency, performance and custom fireplace design flexibility.

# **Specifications - 28, 36, 42, 48**


**Please Note:** When using the Isokern brick ledge, it is required that the firebox/smoke dome assembly include the placement of a  $4" \times 4" \times 3/8"$  minimum steel angle across the firebox opening. This item can be sourced locally.

Framing & Weight							
Model	Minimum Framing	Weight					
28	(38 1/2"w) x (61 1/2"h) x (29 1/2"d)	1040 lbs					
36	(46"w) x (71"h) x (29 1/2"d)	1305 lbs					
42	(52"w) x (71"h) x (29 1/2"d)	1425 lbs					
48	(56"w) x (71"h) x (29 1/2"d)	1600 lbs					


## **Front View**



### **Side View**



### **Plan View**



>	Model	А	В	С	D	Е	F	G
/iev	28	22 1/4"	60 1/4"	28 1/2"	19 3/4"	31"	35 1/2"	9 1/2"
	36	33"	69 3/4"	38"	27 1/4"	38 3/4"	43"	9 1/2"
Front	42	33"	69 3/4"	38"	33 1/4"	44 1/2"	49"	9 1/2"
ш	48	43"	69 3/4"	38"	37 1/4"	48 1/2"	53"	9 1/2"

	Model	В	С	Н	I	J	K	L	М
/iew	28	60 1/4"	28 1/2"	25 1/4"	28 3/4"	31 1/2"	16"	8"	5"
	36	69 3/4"	38"	25 1/4"	28 3/4"	41"	16"	8"	5"
Side	42	69 3/4"	38"	25 1/4"	28 3/4"	41"	16"	8"	5"
U)	48	69 3/4"	38"	25 1/4"	28 3/4"	41"	16"	8"	5"

	Model	D	Е	F	S	Т	
iew	28	19 3/4"	31"	35 1/2"	28"	23"	
>	36	27 1/4"	38 3/4"	43"	28"	23"	
lan	42	33 1/4"	44 1/2"	49"	28"	23"	
-	48	37 1/4"	48 1/2"	53"	28"	23"	







#### **APPLICATIONS:**

Indoor

Outdoor

Wood

Natural Gas

LP (Liquid Propane)

**Custom Finish** 

Multi-Sided Availability

DM 54 Chimney

**Eco-Steel Chimney** 

Fire-Lite Application

# Fan the flames of innovation and take your fireplace to new heights with Isokern's **Magnum Series**.


The Magnum Series Fireplace offers wood or gas burning solutions with the largest openings available in the market, models include 36, 42, 48, 60 & 72. Utilizing Isokern's proprietary straight-back interior design coupled with an innovative contoured shelf, the modular Magnum Series provides unequaled efficiency, performance and custom fireplace design flexibility.

# **Specifications 60 & 72**


**Please Note:** It is required that the firebox/smoke dome assembly include the placement of a  $4" \times 6" \times 3/8"$  minimum steel angle across the firebox opening. This item can be sourced locally. The manufacturer requires for the 60 & 72 model fireboxes be lined with a minimum 1-1/4" (2-1/2" Fire-lite application) thick firebrick for the floor and backwall and four inch (4") firebrick on the sidewalls.

Framing & Weight							
Mode	el Minimum Framing	Weight					
60	(76 1/2"w) x (87 1/4"h) x (29 1/2"d)	2652 lbs					
72	(88 7/8"w) x (87 1/4"h) x (29 1/2"d)	2952 lbs					


#### **Front View**




### **Side View**



## **Top View**



### **Plan View**



<b>&gt;</b>	Model	А	В	С	D	Е	F	G
Vie	60	53 1/2"	85 3/4"	38"	57 1/4"	69"	73 1/2"	9 1/2"
Front \	72	66"	85 3/4"	38"	69 3/4"	81 1/4"	85 1/2"	9 1/2"

>	Model	В	С	Н	1	J	K	L	М
Vie	60	85 3/4"	38"	25 1/4"	44 3/4"	41"	32"	8"	5"
Side	72	85 3/4"	38"	25 1/4"	44 3/4"	41"	32"	8"	5"
S									

}	Model	D	Е	F	S	Т
Viev	60	57 1/4"	69"	73 1/2"	28"	23"
Plan	72	69 3/4"	81 1/4"	85 1/2"	28"	23"